



2020
edition #2



CAMTECH

THE
RUSTICA
RANGE

With a rustic charm and informal style

The Rustica Range is a fascinating collection of soft mud facing bricks.

CONTENTS

04-09
Red/Orange

10-19
Buff/Yellow

20-23
Grey

24-27
Black and White

TIPS & ADVICE

Getting the perfect look for your project!

- * The product images shown are for illustration purposes only and may not be an exact representation of the brick. Please request samples to help you select the best products for your project.
- * Due to the nature of clay bricks, there may be subtle variations in colour per production.
- * We highly recommend that the full brick requirement for your project is ordered in one complete order, with a relating call-off schedule to allow for consistency through production/batching of bricks.
- * The bricks in our Rustica range are suited to every building style and have the necessary characteristics required for contemporary facing bricks.
- * All bricks in this brochure comply with European Standards - EN 771-1.
- * Test Certificates (Technical Data Sheets) – Available on Request.
- * We reserve the right to change or update the products, specifications, and packaging at any time without notice.

RUSTICA BY CAMTECH



For many years, our principal area of expertise has been Brick & Stone. In this arena, Camtech has become a preferred supplier and technical resource to many of the UK's building merchants, brick supply companies, developers, contractors and architects.

Today, as a result of our investment in and commitment to brick manufacturing partners throughout the UK & Europe, Camtech has developed an extensive portfolio of high-quality facing bricks. Bricks with 'Camtech DNA' specially made for the UK market.

This brochure is limited to our Rustica Range. Inside, you will find an eclectic mix of colours, styles and blends – sympathetically crafted to give a charming rustic appearance with fascinating textures and features.

We hope that you like these as much as we do!

However, if you can't find your perfect brick here, why not speak with one of our brick specialists? They're always on hand to guide you through our products and keen to help you select the most suitable brick type for your project.

In addition to our exclusive brick ranges, we can also offer an exciting array of building products from across Europe.

To find out more about the Camtech range of products, speak to one of the team on, 01763 262006 - we'd be delighted to help.

Greg McClean
Managing Director

For Rustica Range samples or further information - connect with one of our brick specialists. They're always happy to offer friendly advice and help you select the right bricks for your project!

+44 (0)1763 262006

Info@camtechbp.co.uk
www.camtechbp.co.uk

32

Soft mud facing bricks with a charming rustic appearance.

Available in an eclectic mix of colours, styles and blends with fascinating textures and features.




Breton Red Multi


9 Red & Orange



Breton Red Multi CBP-OLI-BRM	
	
Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1180
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1



Multi Red Rustica CBP-OLI-MRR	
	
Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1160
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1



Beverley Red Rustica CBP-OLI-BRR	
	
Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1180
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1



Beverley Weathered Red CBP-OLI-BWR	
	
Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1160
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1



Burgundy Multi Tumbled CBP-OLI-BMT



Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1180
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1



Wimbledon Red Antique CBP-OLI-WRA



Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1160
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1




Olde Renoir CBP-OLI-OR



Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1180
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1



Burgundy
Multi Tumbled



i.

The Rustica range is manufactured exclusively for Camtech at a state-of-the-art production facility in Belgium.

Our journey into Rustica began a few years ago. We tasked a team of brick artisans to create a selection of quality soft mud facing bricks.

We were so impressed by their craftsmanship that today, we have a total of 32 Rustica bricks available.

We hope that you like these as much as we do!

However, if you're looking for something different, we can create a unique Rustica blend just for you!

Alternatively, you might find your perfect brick in one of our other ranges.



Kempton Weathered Antique



Kempton Weathered Antique CBP-OLI-KWA



Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1160
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1



Kempton Antique CBP-OLI-KA



Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1160
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1



Provencial Blend



Provencial Blend CBP-OLI-PB



Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1180
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1



Acton Yellow Antique CBP-OLI-CY3



Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1180
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1

16 Buff & Yellow



Weathered Rustica
CBP-OLI-CY10

i

Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1180
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1



Downham Yellow Mixture
CBP-OLI-CY1

i

Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1180
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1



Barnwell Cream
CBP-OLI-BCY7

i

Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1180
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1



Blackwall Yellow Antique
CBP-OLI-CY2

i

Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1180
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1



Yellow Grey Multi Rustica
CBP-OLI-YGMR

i

Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1180
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1

...Buff & Yellow



Yellow Grey
Multi Rustica



Cottingham Weathered Cream
CBP-OLI-CCR



Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1180
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1



Lutterworth Weathered Cream
CBP-OLI-CY9



Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1180
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1



Dartford Yellow Rustica
CBP-OLI-CY5



Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1180
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1



Poplar Yellow Mixture
CBP-OLI-CY6



Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1180
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1



Newnham Yellow Antique
CBP-OLI-CY7



Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1180
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1

...Buff & Yellow



Leighcroft Weathered
CBP-OLI-LCW



Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1180
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1



Hove Buff Mixture
CBP-OLI-HBMHM



Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1180
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1



Carrino Antique
CBP-OLI-CY11



Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1180
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1



**Oakington Buff
Mixture**

... Buff & Yellow



Oakington Buff Mixture
CBP-OLI-CY7HM



Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1180
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1



White Grey Rustica

4 Grey



White Grey Rustica
CBP-OLI-WGR

i

Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1180
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1



Retro Grey Rustica
CBP-OLI-RGR

i

Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1180
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1



Retro Grey Rustica

...Grey

Light Grey Rustica



Light Grey Rustica CBP-OLI-LGR



Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1180
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1



Hammersmith Grey Antique CBP-OLI-HGA



Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1180
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1

2 Black

Dark Pearl



Dark Pearl
CBP-OLI-DP



Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1140
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1



Kingston Dark Blend
CBP-OLI-KDB



Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1180
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1

1 White

White Rustica

We can help you select the best brick for your project!



White Rustica CBP-OLI-WR



Format	EF
Dimensions (LxWxH) mm	215x102x65
Pack Size	550 St/Pal
Pack Weight (kg)	1180
Load Size	12,100
Size Tolerance	T1
Mean & Range	R1
Durability/Frost Resistance	F2
Fire Reaction/Euroclass	A1

Take a closer look at your favourite Rustica bricks.

Just ask for samples!




Connect with one of our brick specialists.

They're always on hand to guide you through our products and keen to help you select the best brick for your project!

+44 (0)1763 262006

Info@camtechbp.co.uk
www.camtechbp.co.uk



CAMTECH

CAMTECH BUILDING PRODUCTS LTD
p. Camtech House, 21 Jarman Way
Royston, Herts, SG8 5HW. UK

t. +44 (0)1763 262006
e. info@camtechbp.co.uk
w. camtechbp.co.uk

